



SHINING 3D

# FreeScan Trak ProW


Wireless 3D Dynamic Tracking & Scanning System  
with Expanded Range

**TRACK SMARTER, EXPAND FURTHER**



FreeScan Trak ProW is a wireless 3D dynamic tracking system that elevates the performance of the FreeScan Trak Pro series. It maintains core features such as marker-free scanning and guaranteed high accuracy, while introducing advanced upgrades for improved performance.

With battery-powered, wireless operation, it eliminates cable constraints, offering unparalleled freedom and flexibility. The system features an extended tracking range and an impressive expanded scanning volume, making it an ideal solution for largescale 3D measuring tasks.








## Ultra-Wide Measuring Range

FreeScan Trak ProW features a groundbreaking design with an ultra-long 8.6 m tracking distance and widely expands the single-station tracking volume to 206.7 m<sup>3</sup>, significantly reducing the need for leapfrog\* during largescale object scanning.

\* (1) Leapfrog: Refers to the technique of relocating the measuring device to extend its working volume. This involves measuring reference geometries (artifacts) in one position, then repositioning the device and measuring the same reference geometries again. These reference points establish a link between the new device position and the original coordinate system, allowing measurements to be consistently reported in the same reference frame.



## No Markers Needed Fast Paced Scanning

FreeTrak W enables real-time TE25W scanner recognition and positioning, eliminating the need for reference markers, which enhances scanning efficiency and streamlines the workflow, while ensuring rapid data acquisition with a scanning speed of up to 5,500,000 points per second.

## Wireless Scanning Wherever You Go



### Built-In Computing Modules

With advanced computing modules, FreeScan Trak ProW accelerates data capture and processing, ensuring rapid, efficient results on the go.



### Real-Time Display Screen

FreeTrak W features an intuitive screen that displays critical device data, including connection status, operating temperature, tracking distance, and range, ensuring real-time monitoring and precision.



### Flexible Power Supply

The external power bank reduces the weight of the TE25W 3D scanner, making it ideal for scanning large workpieces during long working time.





### Integrated Wireless Modules

FreeScan Trak ProW features a built-in wireless module that provides greater freedom by eliminating the need for cables and external devices. This seamless integration allows for real-time transmission of scan data, ensuring high frame rates and stable data transfer.







## Video Photogrammetry (VPG)

FreeScan Trak ProW features SHINING 3D's patented video-based photogrammetry, which eliminates the need for coded markers.

By integrating photogrammetry technology with a calibration rod, it enables real-time marker verification through video capture.


This ensures consistent volumetric accuracy and streamlines the setup process for efficient large-object scanning.



## Customized Measurement Solutions

SHINING 3D offers flexible, customized solutions to accommodate diverse scanning needs. For instance, it supports a collaborative solution with multiple systems, significantly expanding the scanning range and easily meeting the scanning demands of extremely large objects.

By working together, multiple devices can cover a broader area, enabling efficient, flexible and accurate full-field scanning.



## Advanced Software for Seamless 3D Measurement



### Real-Time Data Quality Visualization

Users can access the quality of scanned markers during video photogrammetry and check data completeness during scanning.



### Intelligent Resolution

Automatically adjusts mesh resolution based on the object's curvature, ensuring clearer and more detailed features.




### AI Feature Recognition

Intelligent boundary detection enables fast, accurate scanning and measurement of round and square holes, delivering high-accuracy hole data.



### Inspection Module

Integrated an inspection module, certified by PTB, for reliable, high-quality full-size inspection.




## FreeProbe (Optional)

Designed for quick measurements and inspections, the FreeProbe captures precise geometric data without generating mesh.


It is ideal for hidden areas the scanner cannot reach, ensuring data acquisition with pinpoint accuracy.

- Ergonomic design for easy grip and use
- Sturdy structure for enhanced durability and measurement accuracy
- Multi-functional button for versatile functionality
- Seamless integration with mainstream industrial inspection software





**Civil Aviation**



**Engineering Machinery**




**Energy**



**Automotive**



**Heavy Industry**



**Archaeology & Heritage Preservation**

## SPECIFICATIONS

### FreeScan Trak ProW

Volumetric accuracy  
(based on measuring range)

15.6 m<sup>3</sup> (3.5 m away from the tracking bar) : 0.046 mm ;  
45 m<sup>3</sup> (5 m away from the tracking bar) : 0.063 mm ;  
76 m<sup>3</sup> (6 m away from the tracking bar) : 0.088 mm ;  
128 m<sup>3</sup> (7.2 m away from the tracking bar) : 0.127 mm ;  
206.7 m<sup>3</sup> (Max. tracking range, 8.6 m away from the tracking bar)

Volumetric accuracy with VPG

0.044 + 0.012 mm/m (extension volume)

High-speed scan

Included (50 laser lines)

Detailed scan

Included (7 parallel laser lines)

Deep pockets scan

Included (1 laser line)

Weight

FreeTrak W: 8.2 kg/TE25W: 1.47 kg

Connection

Wireless & Wired mode (fiber optic)

Certifications

CE, FCC, ROHS, WEEE, KC, FDA, UKCA, IP50, TELEC, TISAX

Acceptance test

VDI/VDE 2634 Part (certificated in ISO 17025 certificated accuracy lab)



SHINING 3D AUTHORIZED DISTRIBUTOR in Thailand  
Metro Systems Corporation Public Company Limited

