

FreeScan Trak Nova 🛜

Wireless Multi-Functional Dynamic Tracking & Scanning System

SMALL IN FORM, BIG ON PERFORMANCE



All-In-One Scanning System : Master Every Measurement

FreeScan Trak Nova integrates a portable tracking scanner, the largest-FOV handheld laser scanner, and video photogrammetry (VPG) module into one advanced wireless tracking system.

From construction machinery to rail transit, civil aviation to energy, FreeScan Trak Nova is built to meet the diverse needs of industries requiring accurate and efficient large-scale measurements with extreme portability, productivity and versatility.

Shaping the future of 3D measurement—now in your hands.





Wireless



0





Accurate

Markerless Effi

Efficient



TE Nova only

1.2 kg



🚹 🕩 Metro-3D Printer & 3D Scanner 🛛 🦉


@METRODES 🕓 <u>02-089-4145</u>



Dynamic Tracking Scan : Compact and Agile

The real-time tracking technology allows for the capture of fine details.

With its wireless and compact design, the system excels in scanning confined spaces, ensuring efficient and precise measurements.





Wide-Range Laser Scan: Vast and Fast

FreeScan Trak Nova Wireless Dynamic Tracking & Scanning System transforms traditional tracking scanners by offering exceptional versatility. The tracker, FreeScan UE Nova, also serves as a handheld laser scanner with the largest field of view (FOV) on the market, delivering unparalleled efficiency and flexibility.



Large-scale scanning coverage

Ultra fast scan speed

Free from constraints of cords

Certified & guaranteed accuracy



Video Photogrammetry (VPG)

FreeScan Trak Nova system features SHINING 3D's patented video-based photogrammetry, which eliminates the need for coded markers.

By integrating photogrammetry technology with a calibration rod, it enables real-time marker verification through video capture.

This ensures consistent volumetric accuracy and streamlines the setup process for efficient large object scanning.

Free to Scan, Built to Perform

Easy to Carry, Light to Move



Advanced Software for Seamless 3D Measurement



Multi-scan modes data fusion

The system seamlessly combines wide-range laser scanning for overall structure capture with dynamic tracking for detailed local features, integrating broad coverage and fine details into a unified dataset.



Intelligent resolution

Automatically adjusts mesh resolution based on the object's curvature, ensuring clearer and more detailed features.



Al feature recognition

Intelligent boundary detection enables fast, accurate scanning and measurement of round and square holes, delivering high-accuracy hole data.



Inspection module

Integrated inspection module, certified by PTB, for reliable, high-quality full-size inspection.








Quality Control





Reverse Engineering



Maintenance Repair & Overhaul



Digital Archiving



Archaeology & Heritage Preservation

SPECIFICATIONS

| | FreeScan Trak Nova | FreeScan UE Nova |
|---------------------------------|---|------------------------------|
| Volumetric accuracy | 0.062 mm (12 m ³) | / |
| Volumetric accuracy with VPG | 0.046 + 0.012 mm/m (extension volume) | 0.072 + 0.012 mm/m |
| Flexible FOV | Up to 2600 x 2200 mm | |
| VPG | Included (no coded markers required) | |
| FOV indicator of VPG | Included | |
| High-speed scan | Included (50 laser lines) | Included |
| Detailed scan | Included (7 parallel laser lines) | Included (support near mode) |
| Deep pockets scan | Included (1 laser line) | / |
| Depth of field | TE Nova: 380 mm (170 ~ 550 mm) UE Nova: 2700 mm (800 ~ 3500 mm) | 2300 mm (300 ~ 2600 mm) |
| Connection | Wireless & Wired mode (fiber optic) | |
| Net weight | TE Nova : 1.2 kg / UE Nova : 1.6 kg | |
| Certifications | CE, FCC, ROHS, WEEE, KC, FDA, UKCA, IP50, TELEC, TISAX | |
| Acceptance test | VDI/VDE 2634 Part (certificated in ISO 17025 certificated accuracy lab) | |



